


MDTA Series




FEATURES

- Q Q , Q Q Q Q Q Q Q
- R Q
- Q Q Q Q Q Q Q Q Q
- Q Q Q Q Q Q Q Q Q
- Q


APPLICATION

- R R
- Q Q Q Q Q
- Q Q Q Q Q
- R Q Q Q Q
- Q Q Q Q Q
- Q Q Q Q Q



|     | (μH) |  |   |   | Saturation | Saturation | (mΩ) | (mΩ) |
|-----|------|--|---|---|------------|------------|------|------|
|     | Q    |  | Q | Q | Q          | Q          |      |      |
|     | Q    |  | Q | Q | Q          | Q          |      |      |
|     | Q    |  | Q | Q | Q          | Q          |      |      |
| R R | Q    |  | Q | Q | Q          | Q          |      |      |
|     | Q    |  | Q | Q | Q          | Q          |      |      |
|     | Q    |  | Q | Q | Q          | Q          |      |      |
|     | Q    |  | Q | Q | Q          | Q          |      |      |
| R R | Q    |  | Q | Q | Q          | Q          |      |      |
|     | Q    |  | Q | Q | Q          | Q          |      |      |








:




| MDTA20121A | $1.5 \pm 0.1$ | $2.3 \pm 0.1$ | $1.5 \pm 0.1$ | $4.0 \pm 0.1$ | $4.0 \pm 0.1$ | $8.0 \pm 0.1$ | $1.2 \pm 0.1$ | $1.75 \pm 0.1$ | $0.25 \pm 0.05$ |
|------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|




The peel force of top cover tape shall be between 0.1 to 0.98 N



3000 Pcs/Reel



5 Reel /Inner box( 15K Pcs)



8 Inner box/Carton box(120K Pcs)

- 
- 
- 
- 
- 
- 
- 
-